


# Maui County Climate Trends and Vulnerability Assessment

*County of Maui Agriculture, Diversification, Environment, and Public Transportation Committee – October 9, 2025*

*Tonya Graham – Geos Institute  
Darla Palmer-Ellingson – 360 Green Living*





# COUNTY OF MAUI, HAWAI'I Climate and Community Trends Primer

Prepared by the Geos Institute (Climate Change  
Data and Models) and Sustainable Pacific  
(Community Characteristics)


May 2022




# MAUI COUNTY CLIMATE CHANGE VULNERABILITY ASSESSMENT

December 2022


Prepared by the Geos Institute for the Office of Climate  
Change, Resiliency, and Sustainability (CCRS) County of Maui




# Which trajectory are we on?




Observed and projected temperature change in Hawai'i, compared to 1951-1980. The higher emissions pathway is RCP8.5 while the lower emissions pathway is RCP4.5. Source: CICS-NC and NOAA NCEI.



Number of Days above 90° F at Kahului Airport 1955-2020



Average Annual Precipitation at Kahului Airport 1955-2020




# Decline in Trade Winds

- From 291 days per year to 150 days per year (1973-2019)
- More heat and drought



# Maui County Projections



# Maui County Projections

Projected Trends for Maui County	Mid-century (2050s)	Late-century (2080s)
Average temperature <sup>5</sup>	↑ +2 to +6°F	↑ +3 to +9°F
Number of days with extreme heat <sup>9</sup>	↑↑	↑↑↑↑
Percent change in wet season precipitation <sup>7</sup>	↓ -15%	↓ -23%
Percent change in dry season precipitation <sup>7</sup>	↓ -37%	↓ -52%
Drought severity and frequency <sup>3,9</sup>	↑	↑↑
Frequency of heavy rains and flooding	↑	↑↑
Northeasterly tradewinds <sup>10</sup>	↓↓	↓↓↓
Sea level rise (global average) <sup>2</sup>	↑ ~1 foot	↑ 2 to 3 feet
Ocean temperature (global average) <sup>16</sup>	—	↑ +5°F by 2100
Frequency of coral bleaching events <sup>16</sup>	↑ yearly	—
Declines in ocean fishery productivity <sup>16</sup>	↓ -15%	↓ -50%



# Sea Level Rising Quickly





Figure 16: Sea-level change 1970-2010

# Community Characteristics

## Natural Systems


- Early Hawaiians embraced an “island worldview” that treated resources as limited and precious, with rules designed for sustainability.
- Maui County has wet north/east slopes and dry south/west coasts—with microclimates from hot semi-arid to tropical monsoon.
- On Maui, Haiku gets >55 in of rain a year while Wailea/Kihei gets ~7 in.
- The county has extensive coastline: (Maui ~120 mi; Lanai 47; Molokai 88; Kahoolawe 29).



# Community Characteristics

## Demographics

- Age mix and household types shape service needs and evacuation planning
- Population shifts (in/out-migration) change demand for housing, schools, and jobs
- Income vs. cost of living drives affordability stress; many households are cost-burdened
- Renters, multigenerational households, and those in older housing are more exposed to climate shocks



# Community Characteristics

## Emergency Management

### Flood Risk

- Rainy season: Spring through fall North and East shores see the most precipitation
- Drainage: South and West shores can get standing water after intense rain

### Natural Disasters

- Hurricanes/tropical storms can affect all islands
- Storm-surge exposure affects areas on Maui and Molokai
- Tsunami risk: 61 events in 220 years; annual chance 1–10%.
- Alerts: County system uses a 3-minute tone; sirens tested monthly



# Community Characteristics

## Infrastructure

- **Energy:** Hawai'i gets ~35% of its power from renewables (goal 100% by 2045)
- **Water:** Maui's districts draw from different sources, including surface water, groundwater, 'Iao Aquifer, plants above Lahainaluna and near Kapalua, wells, and East Maui stream surface water
- **Roads & Transportation:** Coastal roads face sea-level-rise flooding—~13.6 miles at risk. State plans to move vulnerable segments uphill, including 4.5 miles of Honoapiilani Highway.



# Community Characteristics



## People

### Physical & Mental Health

Heat and smoke worsen health; disasters interrupt care and power; stress rises

### Economy & Jobs

Climate events cool tourism, disrupt ag/fisheries, and raise costs; small businesses see downtime

### Vulnerable Populations

Kupuna, medically fragile, keiki, and low-income renters face higher risks



# Vulnerabilities by Community System

---





# ‘āina and kai

Higher Vulnerability

- **Loss of coral reefs** (*warming waters/acidification/siltation/invasive species*)
- **Harm to beach and shoreline habitats** (*sea level rise/coastal flooding/inundation/erosion*)
- **Harm to watersheds** (*invasive species/pathogens/erosion*)
- **Impacts to groundwater, seeps, springs, and freshwater wetlands** (*larger storms/drought*)
- **Declines in native forest and alpine habitats** (*warming temperatures/precipitation changes/invasive species/drought/wildfire*)
- **Threats to native and endangered species** (*all*)
- **Harm to muliwai (estuaries) and tidal wetlands** (*inundation*)
- **Increase in landslides and erosion along steep slopes** (*larger storms/drought/wildfire/invasive species*)
- **Negative impacts to anchialine pools** (*precipitation changes/warming waters/storm surge/salinity*)
- **Negative impacts to seabirds and their habitats** (*sea level rise/higher temps/warming waters/ocean acidity/drought/wildfire*)

# Cultural



Higher Vulnerability

- **Negative impacts to local cultural and spiritual practices and customs** (*all*)
- **Loss of historically and culturally important sites** (*sea level rise/coastal flooding/severe storms*)
- **Risks to food gathering and food production** (*all*)
- **Displacement of kanaka maoli (native people) and destruction of resources leading to loss of identity** (*all*)
- **Out migration displacing kama'āina and breaking family bonds** (*all*)
- **In migration furthers cultural divisions** (*climate-driven disruptions in other geographies*)
- **Subsistence fishing at risk** (*acidification/sedimentation/warming water*)
- **Negative impacts to easy-going, outdoor oriented, island way of life** (*all*)

# Human



Higher Vulnerability

- **Decrease in food access and food security** (*all*)
- **Increase in the overall cost of living** (*all*)
- **Loss of power, water, and communication services during emergencies** (*all*)
- **Negative impacts to mental health** (*all*)
- **Increasing pests and diseases** (*warming temperatures/larger storms*)
- **Social service providers and emergency response overwhelmed** (*all*)
- **Greater difficulty recruiting health care workers** (*all*)
- **Negative impacts to physical health** (*extreme heat/changes in trade winds/wildfire*)
- **Public safety and evacuation challenges** (*larger storms/coastal flooding/wildfire/extreme heat*)



# Infrastructure

Higher Vulnerability

- **Damage to coastal roads** (*larger storms/coastal flooding/erosion/sea level rise*)
- **Damage to drainage, reservoir, and other infrastructure** (*inadequate systems for larger storms*)
- **Increased disruption of critical supply chains** (*all*)
- **Reduction in groundwater supply** (*drought/larger storms*)
- **Increased risk of electric service disruption in isolated communities** (*larger storms/flooding/landslides*)
- **Buildings at risk** (*all*)
- **Damage to park facilities and restricted beach access** (*SLR/coastal erosion/larger storms*)
- **Impacts to water supply and water infrastructure** (*drought/wildfire/larger storms*)
- **Increased damage to infrastructure** (*wildfire*)
- **Increased damage to utilities** (*larger storms with higher winds*)
- **Increased brownouts** (*higher temperatures/extreme heat*)
- **Increased damage to electric, water and wastewater infrastructure** (*larger storms/inland fl*)

# Economy



- **Increased risks to agriculture** (*drought/increasing salinity/warmer temps/invasive species/larger storms*)
- **Government budgets stressed** from cost of climate adaptation and responding to more frequent and severe disruptions (*all*)
- **Household and individual economics harmed** by loss of subsistence lifestyles and resources (*all*)
- **Financial strain on low-wage workers** (*all*)
- **Financial strain on small businesses** (*all*)
- **Financial strain on tourism industry** (*all*)
- **Freshwater supply challenges** (*drought/increasing temperatures/sea level rise*)
- **Coastal businesses and resorts threatened** (*sea level rise/flooding*)
- **Economic harm due to loss of coral reefs and other marine life**
- **Commercial operations at risk of economic shocks** (*larger storms/floods/wildfires/landslides*)
- **Economic harm to agriculture, tourism, and businesses** (*wildfire*)
- **Goals of creating walkable, economically vibrant places increasingly difficult to meet** (*all*)
- **Harm to local fisheries** (*warming water/acidification*)

Higher Vulnerability

# Assessments

---



## County of Maui Assessments

- Wastewater infrastructure (Wastewater Reclamation Division)
- Sea Level Rise Vulnerability Assessment for Water Supply Infrastructure (Department of Water Supply)
- Beach Park Vulnerability Assessment (Department of Parks and Recreation)
- Assessment of Coastal Roads for Effects of Climate Change, Sea Level Rise and Shoreline Erosion (Public Works)
- Civic Infrastructure at risk from fire (Emergency Management Agency)
- Groundwater Assessment for Maui Island (Department of Water Supply)

# Assessments

---



## Community Assessments

- Sustainable Molokai – Climate Change and Sea Level Adaptation and Resiliency Plan
- Hawaii Gas – Climate Risk and Mitigation Plan (very early stages)
- Maui Nui Food Alliance Food System - Needs Assessment
- Division of Forestry and Wildlife - Maui Nui Landscape Conservation Plan

# Additional Stressors

---

- Remote workers
- Cost of living increases
- Housing cost
- Previous development
- Climate migration



# Community Concerns

## Wildfire Risk and Water Shortages

- **Long-term drying trend:** “Hawai‘i is getting drier... rainfall and streamflow have declined significantly over the past 30 years.” (State climate factsheet).
- **Wildfire:** Analysis of the Aug. 2023 fires highlight the role of pre-existing drought and very low humidity, then winds accelerating spread – warming plus drying set the stage
- **Fire comparison:** Almost 2 years to the date of the Lahaina fires, a portion of Kaanapali hillside burned. In September, 300 acres burned above Paia town.



# MAHALO



Tonya Graham – [Tonya@GeosInstitute.org](mailto:Tonya@GeosInstitute.org)  
Darla Palmer-Ellingson – [Darla@360GreenLiving.com](mailto:Darla@360GreenLiving.com)

