


Council Chair  
Mike White

Vice-Chair  
Don S. Guzman

Presiding Officer Pro Tempore  
Michael P. Victorino

Councilmembers  
Gladys C. Baisa  
Robert Carroll  
Elle Cochran  
Don Couch  
Stacy Crivello  
Riki Hokama



Director of Council Services  
David M. Raatz, Jr., Esq.

**COUNTY COUNCIL**  
COUNTY OF MAUI  
200 S. HIGH STREET  
WAILUKU, MAUI, HAWAII 96793  
[www.MauiCounty.us](http://www.MauiCounty.us)

October 6, 2015

Mr. David Taylor, Director  
Department of Water Supply  
County of Maui  
Wailuku, Hawaii 96793

Dear Mr. Taylor:

SUBJECT: **WELLHEAD PROTECTION OVERLAY DISTRICT** (WR-1)

At its meeting of September 30, 2015, the Water Resources Committee considered a proposed resolution to send a proposed bill related to wellhead protection to the planning commissions for review and comment.

The Committee had questions about the cost analysis you presented when comparing prevention versus treatment of drinking water contamination.


May I please request you provide a copy of the report entitled "Cost Analyses for Selected Groundwater Cleanup Projects: Pump and Treat Systems and Permeable Reactive Barriers, EPA."

May I also request that you provide a cost analysis for the City and County of Honolulu wells.

May I request your response by **October 30, 2015**. To ensure efficient processing, please include the relevant Committee item number in the subject line of your response.

Should you have any questions, please contact me or the Committee staff (Kimberley Willenbrink at ext. 7761, or Clarita Balala at ext. 7668).

Sincerely,

  
GLADYS C. BAISA, Chair  
Water Resources Committee

wr:ltr:001aws01:kcw

cc: Mayor Alan M. Arakawa