Council Chair Alice L. Lee

Vice-Chair Yuki Lei K. Sugimura

Presiding Officer Pro Tempore Tasha Kama

Councilmembers
Tom Cook
Gabe Johnson
Tamara Paltin
Keani N.W. Rawlins-Fernandez
Shane M. Sinenci
Nohelani U'u-Hodgins



Deputy Director of Council Services

Director of Council Services David M. Raatz, Jr., Esq.

Deputy Director of Council Services Richelle K. Kawasaki, Esq.

COUNTY COUNCIL

COUNTY OF MAUI 200 S. HIGH STREET WAILUKU, MAUI, HAWAII 96793 www.MauiCounty.us

October 16, 2024

Mr. Shayne Agawa, Director Department of Environmental Management County of Maui Wailuku, Hawaii 96793

Dear Mr. Agawa:

SUBJECT: **RESOLUTION** 24-161, URGING THE ADMINISTRATION TO PRIORITIZE THE INCREASED **PRODUCTION** AND **EXPANSION** OF THE DISTRIBUTION OF RECYCLED R-1 WATER TO PRESERVE **POTABLE** WATER FOR THE CONSTRUCTION OF HOUSING IN THE COUNTY OF **MAUI** (WAI-31)

Thank you for participating in the Water and Infrastructure Committee's discussion of Resolution 24-161 at its meeting of October 10, 2024.

May I please request your response to the following as it relates to Honokōwai Reservoir, formerly owned by Maui Land & Pineapple Company:

- 1. Please confirm that Honokōwai Reservoir is located on property identified by tax map key (2) 4-4-002:019 and is comprised of 5.103 acres.
- 2. Does your Department have an anticipated timeline for the design of storage tanks, the foundation, and other infrastructure related to the property's renovations? If so, please explain.

May I further request you transmit your response to wai.committee@mauicounty.us by **October 24, 2024**. To ensure efficient processing, please include the Committee item number in the subject line.

Mr. Shayne Agawa October 16, 2024 Page 2

Should you have any questions, please contact me or the Committee staff (Jarret Pascual at ext. 7141, or Pauline Martins at ext. 8039).

Sincerely,

TOM COOK, Chair

Water and Infrastructure Committee

wai:ltr:031aem01:jpp

cc: Mayor Richard T. Bissen, Jr.

Deputy Director of Environmental Management