

RECEIVED

2022 MAR 10 AM 10:02

CARE-88

March 16, 2022, Committee meeting

OFFICE OF THE
COUNTY COUNCIL

CLIMATE ACTION, RESILIENCE, AND ENVIRONMENT COMMITTEE
Amendment Summary Form

Legislation: Bill 52 (2022) entitled "A BILL FOR AN ORDINANCE AMENDING SECTION 14.21A.015, MAUI COUNTY CODE, RELATING TO PROHIBITED DISCHARGE STANDARDS."

Proposer: Kelly Takaya King, Chair *Kelly T. King*
Climate Action, Resilience, and Environment Committee.

Description: Amend Bill 52 to clarify that municipal wastewater effluent reused by the County must only meet EPA drinking water standards for fecal coliform bacteria, not all EPA drinking water standards.

Motion: Move to amend Section 1 to insert the words "for fecal coliform bacteria" so that it reads as follows:

"A. General prohibitions. No user [shall] can introduce or cause to be introduced into the POTW any pollutant or wastewater that causes pass through or interference. These general prohibitions apply to all users of the POW whether or not they are subject to categorical pretreatment standards or any other governmental pretreatment standards or requirements. Municipal wastewater effluent discharged by the County must meet Hawaii state R-1 reuse water standards; municipal wastewater effluent reused by the County must meet EPA drinking water standards for fecal coliform bacteria; the County must allocate sufficient funding for the implementation of this subsection so that its implementation does not cause a significant increases in sewage rates for residents."

Attachment: Proposed CD1 version of Bill 52.

care:misc:088aasf01:brs

ORDINANCE NO. _____

BILL NO. 52, CD1 (2022)

A BILL FOR AN ORDINANCE AMENDING SECTION 14.21A.015, MAUI COUNTY CODE, RELATING TO PROHIBITED DISCHARGE STANDARDS

BE IT ORDAINED BY THE PEOPLE OF THE COUNTY OF MAUI:

SECTION 1. Section 14.21A.015, Maui County Code, is amended by amending Subsection A to read as follows:

“A. General prohibitions. No user [shall] can introduce or cause to be introduced into the POTW any pollutant or wastewater that causes pass through or interference. These general prohibitions apply to all users of the POW whether or not they are subject to categorical pretreatment standards or any other governmental pretreatment standards or requirements. Municipal wastewater effluent discharged by the County must meet Hawaii state R-1 reuse water standards; municipal wastewater effluent reused by the County must meet EPA drinking water standards for fecal coliform bacteria; the County must allocate sufficient funding for the implementation of this subsection so that its implementation does not cause a significant increase in sewage rates for residents.”

SECTION 2. Material to be repealed is bracketed. New material is underscored. In printing this bill, the County Clerk need not include the brackets, the bracketed material, or the underscoring.

SECTION 3. This Ordinance takes effect upon approval.

care:misc:088abill02:jbf

INTRODUCED BY:

Kelly T. King