## **REQUEST FOR LEGAL SERVICES**

- Date: November 6, 2020
- From: Yuki Lei Sugimura, Chair

Water, Infrastructure, and Transportation Committee

TRANSMITTALMemo to:DEPARTMENT OF THE CORPORATION COUNSELAttention:Jennifer Oana, Esq.

## Subject: MAUI ISLAND WATER USE AND DEVELOPMENT PLAN (WIT-25)

Background Data: Please review Sections 14.02.040 and 14.02.050, Maui County Code.

Work Requested: [] FOR APPROVAL AS TO FORM AND LEGALITY

[X] OTHER: Please provide legal advice in response to the following questions:

- 1. Section 14.02.050 says that any amendment to the Water Use and Development Plan, or WUDP, "proposed by the council . . .shall be referred to the board for its review and recommendations," with the Board of Water Supply to then engage in proceedings, including a public hearing. Does Section 14.02.050, including its requirement for referral to the Board of Water Supply, apply to amendments to a proposed WUDP, a WUDP that has received final approval by the Commission on Water Resource Management, or both?
- 2. If Section 14.02.050 applies to a proposed WUDP, do the review deadlines in Section 14.02.040 reset if the Council refers the proposed WUDP back to the Board of Water Supply?

Requestor's signature YUK' Se K. DIGIMY/G Contact Person Richard Mitchell (Telephone Extension: 7661) Yuki Lei Sugimura

[] ROUTINE (WITHIN 15 WORKING DAYS)[] PRIORITY (WITHIN 10 WORKING DAYS)

[] RUSH (WITHIN 5 WORKING DAYS) [] URGENT (WITHIN 3 WORKING DAYS)

 [X] SPECIFY DUE DATE (IF IMPOSED BY SPECIFIC CIRCUMSTANCES):
 November 12, 2020

 REASON: A joint committee meeting on the WUDP is scheduled for November 16, 2020.

## FOR CORPORATION COUNSEL'S RESPONSE

| ASSIGNED TO: | ASSIGNMENT NO. | ВУ: |
|--------------|----------------|-----|

TO REQUESTOR: [] APPROVED [] DISAPPROVED [] OTHER (SEE COMMENTS BELOW) [] RETURNING--PLEASE EXPAND AND PROVIDE DETAILS REGARDING ITEMS AS NOTED

COMMENTS (NOTE - THIS SECTION NOT TO BE USED FOR LEGAL ADVICE):

DEPARTMENT OF THE CORPORATION COUNSEL

Date

wit:ltr:25acc03:rem