MICHAEL P. VICTORINO Mayor

ROWENA M. DAGDAG-ANDAYA Director

> JORDAN MOLINA Deputy Director

WADE SHIMABUKURO, P.E. Development Services Administration

RODRIGO "CHICO" RABARA, P.E. Engineering Division

> JOHN R. SMITH, P.E. Highways Division

Telephone: (808) 270-7845 Fax: (808) 270-7955





COUNTY OF MAUI DEPARTMENT OF PUBLIC WORKS 200 SOUTH HIGH STREET, ROOM 434 WAILUKU, MAUI, HAWAII 96793

February 25, 2022

1-1-1 1 ar na 000 1-10-11 17 9 11 N n

Honorable Michael P. Victorino Mayor, County of Maui 200 South High Street Wailuku, Maui, Hawaii 96793

APPROVED FOR TRANSMITTAL

2-25-27

For Transmittal to:

Honorable Yuki Lei K. Sugimura, Chair Infrastructure and Transportation Committee Maui County Council 200 South High Street Wailuku, Maui, Hawaii 96793

Dear Chair Sugimura:

SUBJECT: DECEMBER 2021 SEVERE WEATHER EVENT (IT-82)

Thank you for your letter dated February 9, 2022 asking for an explanation of the Department of Public Works' (Department) process for cleaning and clearing culverts on private property when blocked due to natural causes. As a general rule, the Department does not clean culverts on private property.

That being said, however, if there is a dedicated easement in favor of the County of Maui, on private property, then the County may be obligated to clean out a culvert. If a culvert is determined to be County's to maintain and clean, the maintenance is done based on need.

There have been a few isolated incidents during declared emergencies where the County departments or its contractors removed obstructions in ditches/gulches adjacent to public facilities. Some of them may have been partially on private property. In these situations, the decision to remove these obstructions are made in consultation with the Honorable Michael P. Victorino For Transmittal to: Honorable Yuki Lei K. Sugimura, Chair February 25, 2022 Page 2

property owner and always done to protect the immediate health and safety of the public during a declared emergency. Those isolated occurrences are subject to the individual situation and should not be considered normal operations.

Should you have any questions, please do not hesitate to call my office at Ext. 7845.

Sincerely

ROWERA M. DAGDAG-ANDAYA Director of Public Works

RMDA:jso Attachment s:\rowena\transmittals\ysugimura_dec 2021 severe weather event it_82