Council Chair Mike White

Vice-Chair Robert Carroll

Presiding Officer Pro Tempore Stacy Crivello

Councilmembers
Alika Atay
Elle Cochran
Don S. Guzman
Riki Hokama
Kelly T. King
Yuki Lei K. Sugimura



COUNTY COUNCIL

COUNTY OF MAUI 200 S. HIGH STREET WAILUKU, MAUI, HAWAII 96793 www.MauiCounty.us

November 7, 2018

Mr. Tod Z. Tanaka Evans Holdings, Inc. 1100 Alakea St., Suite 2100 Honolulu, Hawaii 96813

Dear Mr. Tanaka:

SUBJECT: TRAFFIC SAFETY AND ENVIRONMENTAL CONCERNS RESULTING FROM DEVELOPMENT IN MAKENA (IEM-80)

The Infrastructure and Environmental Management Committee is in receipt of County Communication 18-225 relating to traffic safety and environmental concerns resulting from development in Makena. The Committee first discussed this item at its meeting of August 20, 2018. The Committee intends to further discuss this item at its meeting of Tuesday, November 20, 2018 at 1:30 p.m., in the Council Chamber on the 8th floor of the Kalana O Maui Building, 200 S. High Street, Wailuku.

At the Committee's meeting of August 20, 2018, community members voiced concerns relating to development in the Mo`omuku ahupua`a of Makena, including lands identified for real property tax purposes as tax map keys (2) 2-1-005:024, (2) 2-1-005:026, (2) 2-1-005:129 through (2) 2-1-005:139, and surrounding parcels. May I respectfully request that you attend the Committee's meeting of November 20, 2018 to provide information relating to grading, construction, permits and archeological review for the above-mentioned parcels.

May I please request you submit a written response to this request by **Friday, November 16, 2018**. To ensure efficient processing, please include the relevant Committee item number in the subject line of your response.

Mr. Tod Tanaka November 7, 2018 Page 2

Should you have any questions, please contact me or the Committee staff (Maggie Clark at ext. 7661, or Stacey Vinoray at ext. 8006).

Sincerely,

ELLE COCHRAN, Chair

Infrastructure and Environmental Management Committee

iem:ltr:080a03:mcc