



The County of Maui

Council Chamber
200 South High Street, 8th
Floor
Wailuku, Hawaii 96793

Legislation Details

| | | | |
|----------------------|--|----------------------|---|
| File #: | CR 21-120 | Version: | 1 |
| Type: | Committee Report | Status: | Agenda Ready |
| File created: | 11/12/2021 | In control: | Budget, Finance, and Economic Development Committee |
| On agenda: | 11/19/2021 | Final action: | |
| Title: | Recommending the following: | | |
| | <p>1. FIRST READING of bill to amend the Fiscal Year 2022 Budget by: 1) increasing Bond/Lapsed Bond revenues by \$4,020,000; 2) amending Section 4.I.2.a., Department of Water Supply, Wailuku-Kahului Community Plan Area, Water Supply, by adding "3. Bond Fund" and a project entitled "Acquisition of 1888 Wili Pa Loop Building and Property" in the amount of \$4,020,000; and 3) adjusting the totals accordingly;</p> <p>2. FIRST READING of bill to amend the Fiscal Year 2022 Budget, Appendix C, Capital Improvement Projects, by adding a project and project description under the Department of Water Supply, Wailuku-Kahului Community Plan Area, for the Acquisition of 1888 Wili Pa Loop Building and Property in the amount of \$4,020,000;</p> <p>3. FIRST READING of bill to amend the Fiscal Year 2022 general obligation bond authorization ordinance by adding an appropriation for the Wailuku-Kahului Community Plan Area, Water Supply, for a project entitled "Acquisition of 1888 Wili Pa Loop Building and Property," in the amount of \$4,020,000, under the Department of Water Supply; and</p> <p>4. ADOPTION of resolution to authorize the acquisition of 29,712 square feet identified as tax map key (2) 3-4-020-049, situated at Wailuku, Maui, Hawaii, for an amount not to exceed \$4,000,000, plus customary expenses.</p> | | |

Sponsors:

Indexes:

Code sections:

Attachments: 1. Committee Report 21-120

| Date | Ver. | Action By | Action | Result |
|-----------|------|---|--------------------------|--------|
| 11/4/2021 | 1 | Budget, Finance, and Economic Development Committee | recommended for approval | Pass |